


System Perrot

System Perrot

Cardan bucket for weld on

Kardan-Becher zum Anschweißen


NW	A	B
50	50	74,5
70	70	98,5
89	89	126,0
108	108	145,5
133	133	171,5
159	159	203,5
216	216	287,0



Male coupling for weld on

V-Teil zum Anschweißen


50	50	75,0
70	70	102,5
89	89	134,0
108	108	155,5
133	133	179,0
159	159	211,0
216	216	312,5



Female coupling with male thread

M-Teil mit Außengewinde


50 x 1 1/2"	48,3	74,5
50 x 2"	60,3	74,5
70 x 2 1/2"	76,1	98,5
89 x 2 1/2"	76,1	126,5
89 x 3"	88,9	126,5
108 x 4"	114,3	145,5
133 x 5"	139,7	171,5
159 x 6"	165,1	203,5



Male coupling with male thread

V-Teil mit Außengewinde

50 x 1 1/2"	48,3	50,0
50 x 2"	60,3	50,0
70 x 2 1/2"	76,1	70,0
89 x 2 1/2"	76,1	89,0
89 x 3"	88,9	89,0
108 x 4"	114,3	108,0
133 x 5"	139,7	133,0
159 x 6"	165,1	159,0



O-ring

O-Ring


50	87,0	11,0
70	108,5	11,5
89	139,0	14,0
108	160,0	18,0
133	190,0	20,0
133	190,0	22,0
159	222,0	20,0
159	222,0	22,0
216	306,0	25,0



Passende Kupplungen finden Sie ab Seite 109!
You will find the couplings from page 109!

Italienisches- / Bazzoli-Siegerperle-System


Italian / Bazzoli-Siegerperle system



MT-Kupplung zum Anschweißen

Female coupling for weld on


NW	innen A inside A	außen outside	B
80	70	74	110
100	89	94	132
120	112	118	151
150	139	146	180
200	197	205	245
150 Bazzoli	139	144	188



Kugel zum Anschweißen

Ball for weld on


80	70	74	111
100	89	94	130
120	112	118	150
150	139	146	180
200	197	205	243
150 Bazzoli	139	144	186



Ring für Kugel

Ring for ball

80	96	-	136
100	89	-	165
120	112	-	185
150	139	-	225
200	197	-	290
150 Bazzoli	176	-	233



O-Ring

O-ring

80	-	125	11
100	-	148	12
120	-	170	15
150	-	205	15
200	-	270	18
150 Bazzoli	-	212	15

Passende Kupplungen finden Sie ab Seite 306!
You will find the couplings from page 306!


System Bauer

System Bauer

Ball for weld on

Kugel zum Anschweißen

NW	innen A inside A	außen outside	B
50	49	74	70
76	76	94	98
89	89	94	120
108	107	110	145
133	132	118	159
159	156	146	179
194	192	205	230




2

Lever closure ring

Hebelverschlussring


50	62	-	-
76	89	-	-
89	113	-	-
108	133	-	-
133	150	-	-
159	170	-	-
194	248	-	-



Male coupling for weld on

V-Kupplung zum Anschweißen

50	49	52	71
76	76	79	99
89	89	92	121
108	107	112	148
133	132	138	163
159	156	163	182
194	192	188	231



O-ring

O-Ring

50	-	83	9
76	-	115	13
89	-	134	14
108	-	160	15
133	-	190	18
159	-	208	19
194	-	253	18



Passende Kupplungen finden Sie ab Seite 124!
You will find the couplings from page 124!